



ADRIA

Safari L BASIC




Safari L BASIC

Facade:



Layout:









A1 GENERAL

ADRIA

Width interior/exterior 5/5,8 Height interior/exterior 3,95/5,0 Area 38+ Number of bedrooms 38+ Number of bathrooms 5 Loft bedroom 5 Kitchen 5,6 Transport length 5,6 Transport width 2,2 Transport height 2,0 Dimension terrace 5x1,9 B1 CHASSIS 6 Inflatable wheels 0 Detachble hook 0 Leveling Feet 3 Powder coated steel chassis 3 Cointainer transport kit 0 Anchoring kit 0 Detachble hook with third wheel 0 B2 FLOOR 5 Vynil flooring 3 Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil 3 B3 EXTERIOR WALLS 5 PVC transport protection 3 Sturdy round wooden beams fi 100 mm 3 Powder coated steel connectors 3 100% aluminium foldable po	AT VENERAL	
Height interior/exterior 3,955,0 Area 38+ Number of beds 38+ Number of bedrooms 38+ Loft bedroom 38+ Kitchen 38+ Transport length 5,6 Transport width 2,2 Transport height 2,0 Dimension terrace 5x1,9 B1 CHASSIS 3 Inflatable wheels 3 Detachble hook 3 Leveling Feet 3 Powder coated steel chassis 3 Cointainer transport kit 3 Anchoring kit 3 Detachble hook with third wheel 3 B2 FLOOR 3 Vynil flooring 3 Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil 3 B3 EXTERIOR WALLS 3 PVC transport protection 3 Sturdy round wooden beams fi 100 mm 3 Powder coated steel connectors 3 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain	Length interior/exterior	5,68/8,43
Area 38+ Number of beds Number of bedrooms	Width interior/exterior	5/5,83
Number of beds Number of bedrooms Number of bathrooms Loft bedroom Kitchen Transport length 5,66 Transport width 2,2 Transport height 2,0 Dimension terrace 5x1,9 B1 CHASSIS Inflatable wheels 0,0 Detachble hook 0,0 Leveling Feet 0,0 Powder coated steel chassis 0,0 Cointainer transport kit 0,0 Anchoring kit 0,0 Detachble hook with third wheel 0,0 B2 FLOOR Vynil flooring 0,0 Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil 0,0 Sturdy round wooden beams fi 100 mm Powder coated steel connectors 1,00% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	Height interior/exterior	3,95/5,02
Number of bedrooms Number of bathrooms Loft bedroom Kitchen Transport length Transport length Transport width Transport height Transport kit Transport height Transport heig	Area	38+7
Number of bathrooms Loft bedroom Kitchen Transport length 5,6 Transport width 2,2,2 Transport height 2,0 Dimension terrace 5x1,9 B1 CHASSIS Inflatable wheels 0,0 Detachble hook 0,0 Leveling Feet 0,0 Powder coated steel chassis 0,0 Cointainer transport kit 0,0 Anchoring kit 0,0 Detachble hook with third wheel 0,0 B2 FLOOR Vynil flooring 0,0 Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil 0,0 B3 EXTERIOR WALLS PVC transport protection 0,0 Sturdy round wooden beams fi 100 mm Powder coated steel connectors 0,0 Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	Number of beds	-
Loft bedroom Kitchen Transport length Transport width Transport width Transport height Tran	Number of bedrooms	-
Kitchen Transport length Transport width Transport width Transport height	Number of bathrooms	-
Transport length 5,66 Transport width 2,22 Transport height 2,7 Dimension terrace 5x1,9 B1 CHASSIS Inflatable wheels Detachble hook Leveling Feet 9 Powder coated steel chassis 2 Cointainer transport kit 4 Anchoring kit 9 Detachble hook with third wheel 9 B2 FLOOR Vynil flooring 6 Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil 9 B3 EXTERIOR WALLS PVC transport protection 5 Sturdy round wooden beams fi 100 mm Powder coated steel connectors 3 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	Loft bedroom	-
Transport width 2,2 Transport height 2, Dimension terrace 5x1,9 B1 CHASSIS Inflatable wheels	Kitchen	-
Transport height 2, Dimension terrace 5x1,9 B1 CHASSIS Inflatable wheels 0 Detachble hook 0 Leveling Feet 0 Powder coated steel chassis 0 Cointainer transport kit 0 Anchoring kit 0 Detachble hook with third wheel 0 B2 FLOOR Vynil flooring 0 Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil 0 B3 EXTERIOR WALLS PVC transport protection 0 Sturdy round wooden beams fi 100 mm Powder coated steel connectors 0 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	Transport length	5,68
B1 CHASSIS Inflatable wheels Detachble hook Leveling Feet Powder coated steel chassis Cointainer transport kit Anchoring kit Detachble hook with third wheel B2 FLOOR Vynil flooring Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil B3 EXTERIOR WALLS PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	Transport width	2,28
B1 CHASSIS Inflatable wheels Detachble hook Leveling Feet Powder coated steel chassis Cointainer transport kit Anchoring kit Detachble hook with third wheel Construction B2 FLOOR Vynil flooring Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil B3 EXTERIOR WALLS PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	Transport height	2,4
Inflatable wheels Detachble hook Leveling Feet Powder coated steel chassis Cointainer transport kit Anchoring kit Detachble hook with third wheel B2 FLOOR Vynil flooring Woisture resistant CTB-H floor 19 mm with ALU isolation floor foil B3 EXTERIOR WALLS PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	Dimension terrace	5x1,91
Inflatable wheels Detachble hook Leveling Feet Powder coated steel chassis Cointainer transport kit Anchoring kit Detachble hook with third wheel B2 FLOOR Vynil flooring Woisture resistant CTB-H floor 19 mm with ALU isolation floor foil B3 EXTERIOR WALLS PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	D4 0114 0010	
Detachble hook Leveling Feet Powder coated steel chassis Cointainer transport kit Anchoring kit Detachble hook with third wheel B2 FLOOR Vynil flooring Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil B3 EXTERIOR WALLS PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)		
Leveling Feet Powder coated steel chassis Cointainer transport kit Anchoring kit Detachble hook with third wheel B2 FLOOR Vynil flooring Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil B3 EXTERIOR WALLS PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)		0
Powder coated steel chassis Cointainer transport kit Anchoring kit Detachble hook with third wheel B2 FLOOR Vynil flooring Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil B3 EXTERIOR WALLS PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)		0
Cointainer transport kit Anchoring kit Detachble hook with third wheel B2 FLOOR Vynil flooring Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil B3 EXTERIOR WALLS PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	-	X
Anchoring kit Detachble hook with third wheel B2 FLOOR Vynil flooring Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil B3 EXTERIOR WALLS PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)		X
Detachble hook with third wheel B2 FLOOR Vynil flooring Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil B3 EXTERIOR WALLS PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)		0
B2 FLOOR Vynil flooring Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil B3 EXTERIOR WALLS PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)		0
Vynil flooring Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil B3 EXTERIOR WALLS PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	Detachble flook with third wheel	0
Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil B3 EXTERIOR WALLS PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	B2 FLOOR	
B3 EXTERIOR WALLS PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	Vynil flooring	Χ
PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	Moisture resistant CTB-H floor 19 mm with ALU isolation floor foil	Χ
PVC transport protection Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)		
Sturdy round wooden beams fi 100 mm Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)		
Powder coated steel connectors 100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)		X
100% aluminium foldable pole construction Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)	-	X
Roof canvas PVC Sattler Complain 745 7M4 640g/m2 (FR)		X
	·	-
Roof canvas TenCate Campshield FR1 420g/m2 (FR)		X
	Roof canvas TenCate Campshield FR1 420g/m2 (FR)	0



Safari L BASIC

Interior canvas TenCate Campshield FR2 290g/m2 (FR)	0
Chassis cover PVC 20cm	X
Chassis cover Campshield FR1 20cm	0
Chassis cover Campshield FR1 45cm	0
Chassis cover PVC 45cm	0
Window with mosquito net	Χ
Internal canvas rolo	Χ
Front entrance opening section on zipper	Χ
Side wall opening sections on zipper	0
Mosquito net for entrance opening	0
External cristal PVC rolo with Vecro tape	Χ
Mosquito net preinstallation on entrance doors	Χ
Pad lock system	X
Master key for pad lock system	0
Stick for door zipper	Χ
Detachable front side of the canvas	Χ
Winter cover	0
Interior canvas Subrenat CAMP420PC 2I 420g/m2	X
E1 EXTERIOR EQUIPMENT	
Extended terrace from Larchwood	0
Stairs on the whole lenght	0
Covered terrace from Larchwood, canvas TenCate Campshield FR1 420g/m2 (FR)	Х
Table with chairs	0
Lounge furniture with two chairs and coffe table	0
Sun loungers (2 pcs)	0



Safari L BASIC

Legal Notice

The information on this website is provided "as is" and without warranty of any kind, expressed or implied, including (but not limited to) any implied warranties of merchantability and non- infringement of third party rights. While the information provided is believed to be accurate, it may include errors or inaccuracies. In no event shall Adria Home be liable to any person for any special, indirect or consequential damages relating to this material, unless caused by gross negligence or intentional misconduct. The purpose of this website is illustrative. The website may show vizuals which may include some elements not belonging to the standard equipment or portray products which may not be available in all markets. Products may change in terms of technical specification and commercial details and in relation to specific regulations. You are advised to always contact your selected Adria representative to obtain all detailed information prior to purchasing.

Copyright

Copyright © Adria Home Ltd., Črnomelj, Slovenia 2019-20. All rights reserved. The text, images, graphics, sound files, animation files, video files, and their arrangement on the Adria Home website are all subject to copyright and other intellectual property protection. These objects may not be copied for commercial use or distribution, nor may these objects be modified or reposted to other sites. Adria Home website may contain images whose copyrights are attributable to third parties.

Adria Home Ltd.

Kanižarica 135, SI-8340 Črnomelj, Slovenija, Tel: +386 (0) 7 35 69 100 E-mail: info@adria-home.com

adria-home.com, www.adria-holidays.net

#AdriaHome #AdriaGlamping











